EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	9	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress gateway) adj5 (router node)) and (block$3 adj3 probabilit$3) and over $load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 11:53
L15	6	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress gateway) adj5 (router node)) and (block$3 adj3 probabilit$3) and over $load and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 11:54
L16	6	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress gateway) adj5 (router node)) and (block$3 adj3 probabilit$3) and over $load and packet and ov $load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 11:55
L17	2	"20060007947"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 13:17
L18	6	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress gateway) adj5 (router node)) and (block$3 adj3 probabilit$3) and over $load and packet and (ov $load threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 14:57
L19	18	(@rlad<"20030110" or @ad<"20030110") and (edge adj5 (router node) near5 (threshold over $load)) and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:02
L20	30	(@rlad<"20030110" or @ad<"20030110") and (edge adj5 (router node) near5 (threshold over $load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:03

L21	4	(@rlad<"20030110" or @ad<"20030110") and (edge adj5 (router node) near5 (threshold over $load)) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:03
L22	0	(@rlad<"20030110" or @ad<"20030110") and ((edge adj5 (router node) near5 pair) with (threshold over$load)) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:05
L23	15	(@rlad<"20030110" or @ad<"20030110") and ((edge adj5 node) near5 pair) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:06
L24	0	(@rlad<"20030110" or @ad<"20030110") and ((edge adj5 node) near5 pair) with overload and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:06
L25	0	(@rlad<"20030110" or @ad<"20030110") and (((edge adj5 node) near5 pair) with overload) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:06
L26	0	(@rlad<"20030110" or @ad<"20030110") and (((edge adj5 node) near5 pair) same overload) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:07
L27	0	(@rlad<"20030110" or @ad<"20030110") and (((edge adj5 (router node)) near5 pair) same overload) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:07
L28	1	(@rlad<"20030110" or @ad<"20030110") and (((edge adj5 (router node)) near5 pair) and overload) and (packet near3 switching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 15:07
S1	2	"20060056299"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:22

S2	2155	(@rlad< "20030110" or @ad< "20030110") and block $3 adj3 probabilit$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:40
S3	19	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) and traffic and diff$serv	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:45
S4	0	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) and traffic and diff$serv and connectionless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:29
S5	9	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) and traffic and diff$serv and (access near5 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:45
S6	2136	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) not (diffserv or diff-serv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:53
S7	2	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) not (diffserv or diff-serv) and (limit adj3 value) and traffic adj3 (condition$3 or polic$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 19:55
S8	3	("2002/0027885").URPN.	USPAT	OR	ON	2007/12/11 19:57
S9	8	("20020027885" | "5867502" | "5933412" | "6044080" | "6088371" | "6094417" | "6202082" | "6434611").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/11 19:59
S10	0	(@rlad< "20030110" or @ad< "20030110") and block $3 adj3 probabilit$3 and (marginal adj nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:05
S11	0	(@rlad< "20030110" or @ad< "20030110") and block $3 adj3 probabilit$3 and (marginal adj5 nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:05

S12	123	(@rlad<"20030110" or @ad<"20030110") and block$3 adj3 probabilit$3 and (node near5 pair)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:05
S13	74	(@rlad<"20030110" or @ad<"20030110") and block$3 adj3 probabilit$3 and (node adj5 pair)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:16
S14	1	(@rlad<"20030110" or @ad<"20030110") and block$3 adj3 probabilit$3 and (node adj5 pair) and (traffic adj5 limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:06
S15	5	("4788721" | "4825206" | "5095480" | "5128926" | "5412654").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/11 20:07
S16	21	("5654958").URPN.	USPAT	OR	ON	2007/12/11 20:10
S17	21	("5654958").URPN.	USPAT	OR	ON	2007/12/11 20:15
S18	13	(@rlad<"20030110" or @ad<"20030110") and (block$3 adj3 probabilit$3) and (node adj5 pair) and (access adj2 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 20:19
S19	2155	(@rlad<"20030110" or @ad<"20030110") and (block$3 adj3 probabilit$3) not serv$diff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 19:01
S20	288	(@rlad<"20030110" or @ad<"20030110") and (block$3 adj3 probabilit$3) not (serv$diff) and traffic near5 (limit or control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 09:38
S21	58	(@rlad<"20030110" or @ad<"20030110") and (block$3 adj3 probabilit$3) not (serv$diff) and traffic near5 (limit or control) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 09:41
S22	58	(@rlad<"20030110" or @ad<"20030110") and (block$3 adj3 probabilit$3) and (traffic near5 (limit or control)) and overload not (serv$diff)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 10:14

S23	19	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) and (traffic near5 (limit or control)) and overload and connection$less not (serv $diff)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 09:59
S24	31	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) and (traffic near5 (limit or control)) and overload and router not (serv$diff)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 10:15
S25	0	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) and (edge near5 router) and limit and (access near3 control) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:41
S26	0	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) and (edge same router) and limit and (access near3 control) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:41
S27	15	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) and edge and router and limit and (access near3 control) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:44
S28	0	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) and edge and router and limit and (access near3 control) and overload and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:45
S29	2	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) and edge and router and limit and overload and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:45
S30	23	(@rlad< "20030110" or @ad< "20030110") and (block$3 adj3 probabilit$3) not serv$diff and 370/235. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 19:01

S31	25	(@rlad<"20030110" or @ad<"20030110") and (link near3 capacity) and (throughput near3 block$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 14:07
S32	1	"20060056299"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 13:53
S33	0	metnth	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:19
S34	564	menth	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:19
S35	47	menth and siemens	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:19
S36	92670	menth and siemens marginal	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:20
S37	4	menth and siemens and marginal	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:20
S38	20	"6122753" "20020058797" "20040028054" "20060268685"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:49
S39	25	"6122753" "20020120767" "20030058797" "20040028054" "20060268685" "20040136399"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:54
S40	24	"6122753" "20020120767" "20030058797" "20040028054" "20060268685" "20040136396"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/12/12 14:57
S41	0	(@rlad<"20030110" or @ad<"20030110") and (block$3 adj3 probabilit$3) not (serv$diff) and traffic near5 (limit or control) and overload and (edge adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:07
S42	29	(@rlad<"20030110" or @ad<"20030110") and (edge adj node) and (block$3 adj3 probabilit$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:08

S43	0	(@rlad<"20030110" or @ad<"20030110") and ((edge adj node) with (block$3 adj3 probabilit$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:09
S44	3	(@rlad<"20030110" or @ad<"20030110") and ((edge adj node) same (block$3 adj3 probabilit$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:09
S45	0	(@rlad<"20030110" or @ad<"20030110") and (((edge marginal ingress outgress) adj node) same (block$3 adj3 probabilit$3)) and (limit sla weight) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 16:22
S46	3	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress) adj node) and (block$3 adj3 probabilit$3) and (limit sla weight) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 16:22
S47	9	("5321815" | "5530806" | "5561790" | "5881243" | "5933425" | "6078963" | "6098107" | "6192043" | "6256309").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/12 16:25
S48	39	("6633544").URPN.	USPAT	OR	ON	2008/12/12 16:26
S49	4	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress) adj5 (router node)) and (block$3 adj3 probabilit$3) and (limit sla weight) and overload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 17:25
S50	101	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress) adj5 (router node)) and (block$3 adj3 probabilit$3) and (limit sla weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 17:37
S51	4	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress) adj5 (router node)) and (block$3 adj3 probabilit$3) and (limit sla weight) and over$load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 17:37

S52	3	("2002/0027885").URPN.	USPAT	OR	ON	2008/12/12 18:07
S53	3	("2002/0027885").URPN.	USPAT	OR	ON	2008/12/12 19:02
S54	8	(@rlad<"20030110" or @ad<"20030110") and ((edge marginal ingress outgress) adj5 (router node)) and (block$3 adj3 probabilit$3) and over$load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 20:23

4/16/2009 6:20:56 PM
C:\ Documents and Settings\ schan1\ My Documents\ EAST\ Workspaces\ 10542723 controlling traffic.w sp